



KREBE TIPPO

**KNOWLEDGE OF
TECHNOLOGY**



Top industrial laundry equipment for over 60 years

Krebe-Tippo d.o.o. is a company with more than sixty years old tradition and experiences about producing industrial washing and processing equipment.

Krebe-Tippo's long history of manufacturing laundry equipment started in 1956 (brands HIMO – PRIMAT – TIPPO). Today we continue to develop the production of high-quality machines in Maribor, a region which is historically the country's heavy industry centre, in a production area of about 2.500 m². Since 1999 we are holding the certificate of ISO 9001 quality. The company is constantly evolving and expanding. Flexibility is our way to skilfully follow changes in the market.

Mission

To create a high-quality and user-friendly solutions for processing laundry in close cooperation with our customers.

Vision

To become the most flexible and innovative manufacturer of industrial laundry machinery.

Goals & Achievements

Years of hard work and high goals have brought a lot of success on our long journey with the support of many partners and satisfied users.



70.000+

MACHINES
SOLD



7

ALL CONTINENTS
REACHED



70+

NUMBER OF
EMPLOYEES

We are providing Top-Level Laundry Solutions

Decades of being a producer of industrial washing machinery, designing laundries and getting to know all the needs laundries may have while satisfying them with our equipment, we are offering to you highly reliable equipment with optimised operation.

We believe in Quality & Partnership

We are a firm believer in honest and open relationships with our partners. During decades of work and performance in the market we are proud not only of our products but also of the relationships we have built on the way.



1956



HIMO

In 1956 company HIMO started with the production of domestic washers located in Maribor. Domestic washers were later being produced in Velenje and HIMO was taken over by Primat.

1969



PRIMAT

In 1969 Primat, one of the biggest Yugoslavian State's companies, started to produce Industrial Laundry Equipment as an addition to a lot of other already existing production systems.

1989



TIPPO

In the year of 1989 the PRIMAT's brand of industrial laundry equipment "PRIMAT-Pralna tehnika" was renamed to TIPPO. TIPPO, Tovarna Industrijske Pralne in Procesne Opreme in translation Factory of Industrial Washing and Processing equipment.

1993



KREBE-TIPPO

Private company owned by the Krepek family, relocated the production of Industrial Laundry Equipment to our current location and specialised in Industrial Washing Machinery.

We understand your needs

We are aware that Laundries need much more than just the products to carry out the process. With this awareness and many years of experience, we have refined our services, set them at the highest level and thus enabled you to set up top State-of-the-Art Systems and a sense of security in the investment.



Project Management & Laundry Design

We are glad to support you with advice from the Construction Planning of the laundry to the final functioning Laundry System.



Sales & Aftersales Support

Our Sales Department covers the complete Sales Assortment starting with products and continuing with spare parts and technical service.



Research & Development

A team of Engineers covering Mechanical Development, Electrical Development and Software under one roof preparing the best possible solutions for you.




Barrier washer extractors

Selection of products from 16 kg to 230 kg capacity suitable for different needs, specialised in Healthcare, Pharmaceutical, Agro, Food, Nuclear Industry & many more.



Front load washer extractors

Selection of products from 11 kg to 55 kg capacity suitable for different needs, Hospitality, Healthcare, Self-Service Laundries, Commercial Laundries & many more.



Dryers

Selection of products from 11 kg to 75 kg capacity suitable for different needs, developed for Commercial & Industrial Laundries.



Ironers

Selection of products with the capacity up to 65 kg/h, available many more per inquiry.



HygioVision™

Washing machines are Smart Devices and are now a part of Smart Industrial Laundry Process. HygioVision machines are Technologically Advanced Machines that changed the way you did your laundry. Forever.

Barrier washer extractors PCH Line

Selection of products from 16 kg to 230 kg capacity suitable for different needs, specialised in Healthcare, Pharmaceutical, Agro, Food, Nuclear Industry & many more.

All machines are designed to ensure the best quality of washing results with minimum consumption of water, detergent, and energy. Machine construction is robust and stable, designed to ensure longevity of each and every part of the machine under heavy burdening. Advanced solutions as Automatic Weighing System, Water Recycling System, several energy meters, High-Tech Controls, Monitoring System and many others, enable the user a safe, reliable, and optimal operation of the machine. With the widest selection of models (loading capacity in kg, 1:10) and options we guarantee to reach the highest level of Laundry needs and requirements, as well as user satisfaction.

- Hygienic & Clean Room (ISO 5) Solutions
- Extreme Robustness & Stability
- Ergonomy & Safety
- Easy Service & Maintenance
- Modern Technology
- Optimized operation enabled with a selection of advanced Options
- Flexibility
- Healthcare, Pharmaceutical, Agro, Food, Nuclear Industry & many more

PCH Line of Industrial Barrier Washing Machines with capacity from 16 to 230 kg for Commercial and Industrial Laundry-needs all over the World.



Let's Get Technical

Barrier design of industrial washing machines with high speed (up to 375 G Factor). All machines are equipped with a freely programmable Touch Screen Control. All models are standardly or optionally fully pneumatic (suspension, water, steam inlets, drain valves, door operation). Inner drums can be divided into 2 or 3 compartments, depending on the loading capacity (Pullman, Y-division). Advanced options of Automatic Weighing System, Water Recycling System, several energy meters, Hygiene Monitoring System, and much more are allowing us to provide the best solution even for the most demanding (ISO) laundries.



375

MAXIMUM G
FACTOR



16-230

CAPACITY KG



990

RPM



1:10

LOADING RATIO



	PCHS 162	PCHS 262	PCH 262	PCH 382	PCH 501	PCH 701	PCH 901	PCH 1201	PCH 1401	PCH 1701	PCH 2001	PCH 2301
Dimensions (mm)												
Width	1080	1250	1250	1450	1510	1860	2100	2130	2310	2430	2650	3000
Depth	980	1100	1100	1100	1240	1420	1420	1700	1700	1850	1850	1850
Height	1593	1668	1668	1668	1770	1950	1950	1990	1990	2250	2250	2330
Weight (kg)												
Net	625	775	775	900	1450	2290	2410	3350	3900	5000	5320	5700
Capacity (kg), 1:10	16	26	26	38	50	70	90	120	140	170	200	230
Drum volume (l)	160	260	260	380	500	700	900	1200	1400	1700	2000	2300
Drum diameter (mm)	680	800	800	800	940	1074	1074	1200	1200	1400	1400	1400
Spin speed (rpm)	990	915	915	915	840	775	775	725	725	668	668	668
G-Factor	373	375	375	375	371	361	361	353	353	350	350	350
Heating (kW)												
Electrical	15	24	24	36	45	60	75	90	105	/	/	/
Steam	30	50	50	90	100	180	200	240	280	340	340	340


Front load washer extractors PCF Line

Selection of products from 11 kg to 55 kg capacity suitable for different needs, Hospitality, Healthcare, Self-Service Laundrettes, Commercial Laundries & many more.

All machines are designed to ensure the best quality of washing results with minimum consumption of water, detergent, and energy. Machine construction is robust and stable, designed to ensure longevity of each and every part of the machine under heavy burdening. Machines are offering several options to achieve the highest level of operation such as Automatic Weighing System, High-Tech Controls, Monitoring System and many more. With the selection of models (loading capacity in kg, 1:10) we guarantee to reach every user's expectation.

- Hospitality, Commercial & Self-Service Solutions
- Extreme Robustness & Stability
- Ergonomy & Safety
- Easy Service & Maintenance
- Flexibility
- Hospitality, Healthcare, Self-Service Laundrettes, Commercial Laundries & many more

PCF Line of Front-Load Washing Machines with capacity from 11 to 55 kg for Hospitality, Healthcare, Self-Service Laundrettes, Commercial laundries and many more.



Let's Get Technical

Front-Load designed industrial washing machines, free-standing with high spin speed (up to 452 G Factor). All machines are equipped with a freely programmable standard or Touch Screen Control. Suspension with shock absorbers is providing a smooth operation with minimum vibration and floor burdening. Most vital parts are made from Stainless steel AISI 304.



452

MAXIMUM G
FACTOR



11-55

CAPACITY KG



1000

RPM



1:10

LOADING RATIO

	PCF 111	PCF 141	PCF 172	PCF 252	PCF 322	PCF 452	PCF 552
Dimensions (mm)							
Width	810	810	810	1030	1030	1360	1360
Depth	810	911	996	1096	1216	1380	1558
Height	1411	1411	1411	1728	1728	1850	1850
Weight (kg)							
Net	375	395	405	760	820	1450	1550
Capacity (kg), 1:10	11	14	17	25	32	45	55
Drum volume (l)	110	140	170	250	320	450	550
Drum diameter (mm)	619	619	619	800	800	914	914
Spin speed (rpm)	1000	1000	930	1000	1000	940	890
G-Factor	346	346	300	448	448	452	405
Heating (kW)							
Electrical	9	12	15	24	24	36	36
Steam	30	30	30	40	40	80	80

Dryers

Selection of products from 11 kg to 75 kg capacity suitable for different needs, developed for Commercial & Industrial Laundries.

Models of different capacities, ranging from 11 to 75 kg with features that result in technologically advanced, reliable and ergonomic machines, which are perfect partners with PCF or PCH industrial washing machines.

- Standard & Clean Room (ISO 5) Solutions
- Extreme Robustness & stability
- Ergonomy & Safety
- Easy Service & Maintenance
- Modern Technology
- Optimized operation enabled with a selection of Options
- Prepared for all types of Commercial & Industrial Laundries

ST Line of Industrial Tumble Dryers with capacity of 11 to 75 kg for Commercial and Industrial Laundry-needs all over the World.



Let's Get Technical

Easy-to-use dryers with new and advanced Touch Screen controller in 37 different languages, which makes it accessible and comfortable for every user. Large, easy-to-clean filter and the simplicity of constructed parts contribute to low maintenance requirements. Possible options of Moisture Control, Fire Suppression System and many more, designed for the ergonomic use of the machine and best results in performance.



1000
MAXIMUM
VOLUME



1225
MAXIMUM DRUM
DIAMETER



1:20
LOADING RATIO

	ST 11	ST 16	ST 23	ST 28	ST 33	ST 45	ST 60	ST 75
Dimensions (mm)								
Width	785	785	890	985	985	1270	1270	1270
Depth	855	1125	1255	1054	1210	1085	1345	1577
Height	1694	1694	1812	1970	1970	2380	2380	2380
Weight (kg)								
Net	172	187	210	230	260	395	529	657
Capacity (kg), 1:20	11	16	22	28	33	45	60	75
Drum volume (l)	210	330	440	550	660	896	1202	1500
Drum diameter (mm)	750	750	855	947	947	1225	1225	1225
Heating (kW)								
Electrical	12	18	24	30	36	54	72	72
Steam	30	30	49	50,1	50,1	91,3	128	128
Gas	20,51	20,51	31	41	41	60	90	120

Ironers

Selection of products with the capacity up to 65 kg/h, available many more per inquiry.

A wide selection of ironers for different needs of commercial and industrial laundries.


- Ergonomy & Safety
- Easy Service & Maintenance
- Optimized operation
- Prepared for all types of Laundries

LK Line of Industrial Ironers with the capacity of up to 65 kg/h.



Let's Get Technical


Industrial chest ironers with fixed or variable speed of ironing. Machines build with or without air exhaust.



2000
MAXIMUM
ROLLER LENGTH



290
MAXIMUM
DIAMETER



4
MAXIMUM SPEED

	LKT 2,5-12 GEN	LKT 2,5-14 GEN	LKT 2,5-14 GE	LK 3-16 GEN	LK 3-16 GE	LK 3-20 GE
Dimensions (mm)						
Width	1410	1610	1610	2200	2200	2600
Depth	395	395	395	500	500	500
Height	1070	1070	1070	1100	1100	1100
Net weight (kg)	89	99	99	257	262	294
Capacity (kg/h)	25	27	27	50	50	65
Humidity input of fabric (%)	20	20	20	15	25	25
Operating width (mm)	1200	1400	1400	1600	1600	2000
Roll diameter (mm)	250	250	250	290	290	290
Ironing speed (m/min)	1,6-3,6	1,6-3,6	1,6-3,6	3,9	2--4	2--4
Heating power (kW)	6,08	7,28	7,28	13,2	13,2	16,8



Dear Partners

"As a firm believer in quality, knowledge, and honest relationships we have built a lot of amazing partnerships throughout the years. We take pride in every project we created together and are thankful for your trust in our brand.

In front of you is our new Corporate Catalogue that we hope you will enjoy.

We can hardly wait for the future. Thank you."

Krebe-Tippo team

Anja Uranjek

Head of Sales & After-Sales

anja.uranjek@krebe-tippo.si

+386 (0) 2 450 30 55

+386 (0) 31 436 994

Vesna Pinter

Spare Parts & Logistics Manager

vesna.pinter@krebe-tippo.si

+386 (0) 2 450 30 63

+386 (0) 30 480 227

Dolores Toplak

Sales & Marketing Manager

sales@krebe-tippo.si

+386 (0) 2 450 30 59

+386 (0) 41 709 376

Bernardo Nigic

Service Manager

bernardo.nigic@krebe-tippo.si

+386 (0) 2 450 30 68

+386 (0) 31 804 295





**Leading laundry machines
and solutions manufacturer
from Central Europe**



www.krebe-tippo.si

✉ info@krebe-tippo.si

☎ +386 (0) 2 450 30 50